




PQ PLUS GmbH

Your plus for more performance



PRICE LIST 2023



Hardware components - measuring technology

Software solutions

Current transformers

Reactive power components

Accessories

Services

Table of Contents

General information	2
Table of Contents	2
Hardware components - measuring technology	4
UMD 96 – Measuring technology for control panel installation	4
UMD 97 – Measuring technology for control panel installation	5
UMD 97EVU – Measuring technology for control panel installation in CAT IV environments	5
UMD 98 – Measuring technology for control panel installation	6
UMD 913 – Measuring technology for control panel installation	7
MMB / MMU / MMI – modular measuring technology for the DIN rail	7
UMD 705 – Measuring technology for DIN rail	7
UMD 707RCM – Measuring technology for DIN rail	8
UMD 707DC – Measuring technology for DIN rail	8
UMD 710A – Measuring technology for the DIN rail	8
UMD 710EVU – Measuring technology for the DIN rail in CAT IV environments	8
UMD 710MVU – Measuring technology for the DIN rail in CAT IV environments	9
Firmware modules for function expansion for UMD universal measurement devices	9
IO-M 500 – I/O expansion module for UMD universal measurement devices	9
MMD 98RCM – mobile PQ universal measurement device	10
CMD 68-MID – three-phase current energy meter	11
CMD 68M – Interim plug meter	11
CMD 68-V2 MID – network meter	11
CMD EEG-CLP – load profile meter	11
PQ M centre	11
Software solutions	12
Energy management and PQ analysis – ENVIS	12
ENVIS web	13
Drivers for UMD measuring technology	14
Current transformers	15
KBR 18S/L – cable conversion current transformer	15
KBR 18 – cable conversion current transformer	16
KBR 28 – cable conversion current transformer	17
KBR 32 – cable conversion current transformer	18
KBR 42 – cable conversion current transformer	19
KBR 42L – cable conversion current transformer	20
KBR 44 – cable conversion current transformer	21
KBU 23 – cable conversion current transformer	22
KBU 58 – cable conversion current transformer	22
KBU 812 – cable conversion current transformer	23
KBU 816 – cable conversion current transformer	24
CTB 31.35 – plug-on current transformer	25
CTB 41.35 – plug-on current transformer	27
CTB 51.35 – plug-on current transformer	29
CTB 61.35 – plug-on current transformer	31
CTB 81.35 – plug-on current transformer	33
CTB 101.35 – plug-on current transformer	35
ECTB 31.35 – calculation plug-on current transformer	37
ECTB 41.35 – calculation plug-on current transformer	38
ECTB 51.35 – calculation plug-on current transformer	39
ECTB 61.35 – calculation plug-on current transformer	40
ECTB 81.35 – calculation plug-on current transformer	41
ECTB 101.35 – calculation plug-on current transformer	42

J3CT – three-phase current transformer set (MMI 12 – MMB 700)	43
Connection cable for transformer J3CT	43
J6CT – 2 x three-phase current transformer set (MMI 12 – MMB 700)	43
JC – cable conversion current transformer (MMI 12 – MMB 700)	43
Connection cable for transformer JC	43
J3SCT28 – cable conversion converter set 3-phase (MMI 12 - MMB 700)	44
JS10NH – divisible Hall sensor for DC currents.....	44
JS16NH – divisible Hall sensor for DC currents.....	44
JS24NH/SH– divisible Hall sensor for DC currents.....	44
JS36SH – divisible Hall sensor for DC currents.....	44
JS – cable conversion current transformer	45
CTM 7 – plug-on miniature current transformer	46
RCM-CT – plug-on differential current transformer / residual current transformer (type A)	46
RCM-CT V2 / RCM-SCT – differential current transformer / residual current transformer (type A)	46
RCM-CT-V2 type B/B+ – residual current monitor all-current sensitive (type B/B+).....	46
KBU Flex 80 / 115 / 200 – flexible current transformer	47
KBU FLEX SET – flexible current transformers	47
Accessories KBU FLEX SET – FLEX Holder.....	47
Power capacitors.....	48
Accessories	49
Cable Local Bus.....	49
PQ.touch – web panel.....	49
DIN rail adapter for control panel installation units.....	49
Serial terminal systems – 3-phase and 4-phase	49
Industrial power supply units – output voltage 1...2.5 A.....	49
CAT IV Power Compact – industrial power supply unit.....	49
Industrial ECO switch – 5-port and 8-port	50
PQ.web4 – router	50
IoT – LoRaWAN interface	50
PFS – NH-safety load switching strip.....	50

UMD 96 - Measuring technology for control panel installation

Supply voltage		Measurement voltage		Functions				Communication					Type	Item number	Price group 1
85 - 275 V AC 80 - 350 V DC	20 - 50 V AC 20 - 75 V DC	8 - 660 V LL	20 - 1090 V LL	Digital inputs	Digital outputs	Memory size in MB	Clock	RS485	Ethernet	Modbus Master	M-Bus	USB			
•	-	•	-	1	2	-	-	-	-	-	-	-	UMD 96	10.05.1000	175.00
•	-	-	•	1	2	-	-	-	-	-	-	-	UMD 96	10.05.2000	195.00
-	•	•	-	1	2	-	-	-	-	-	-	-	UMD 96	10.05.3000	225.00
-	•	-	•	1	2	-	-	-	-	-	-	-	UMD 96	10.05.4000	225.00
•	-	•	-	1	2	-	-	•	-	-	-	-	UMD 96S	10.05.1001	258.00
•	-	-	•	1	2	-	-	•	-	-	-	-	UMD 96S	10.05.2001	273.00
-	•	•	-	1	2	-	-	•	-	-	-	-	UMD 96S	10.05.3001	297.00
-	•	-	•	1	2	-	-	•	-	-	-	-	UMD 96S	10.05.4001	297.00
•	-	•	-	1	2	-	-	-	•	-	-	-	UMD 96EL	10.05.1002	289.00
•	-	-	•	1	2	-	-	-	•	-	-	-	UMD 96EL	10.05.2002	304.00
-	•	•	-	1	2	-	-	-	•	-	-	-	UMD 96EL	10.05.3002	334.00
-	•	-	•	1	2	-	-	-	•	-	-	-	UMD 96EL	10.05.4002	334.00
•	-	•	-	1	2	-	-	-	-	-	•	-	UMD 96M	10.05.1013	262.00
•	-	-	•	1	2	-	-	-	-	-	•	-	UMD 96M	10.05.2013	282.00
-	•	•	-	1	2	-	-	-	-	-	•	-	UMD 96M	10.05.3013	312.00
-	•	-	•	1	2	-	-	-	-	-	•	-	UMD 96M	10.05.4013	312.00

UMD 97 - Measuring technology for control panel installation

Supply voltage		Measurement voltage		Functions				Communication					Type	Item number	Price group 1
100 - 275 V AC 80 - 350 V DC	20 - 50 V AC 20 - 75 V DC	8 - 660 V LL	20 - 1090 V LL	Digital inputs	Digital outputs	Memory size in MB	Clock	RS485	Ethernet	Gateway Modbus master	M-Bus	USB			
•	-	•	-	1	2	512	•	•	-	-	-	•	UMD 97CBM	11.06.1105	515.00
•	-	-	•	1	2	512	•	•	-	-	-	•	UMD 97CBM	11.06.2105	570.00
-	•	•	-	1	2	512	•	•	-	-	-	•	UMD 97CBM	11.06.3105	600.00
-	•	-	•	1	2	512	•	•	-	-	-	•	UMD 97CBM	11.06.4105	625.00
•	-	•	-	1	2	512	•	-	•	-	-	•	UMD 97EL	11.06.1107	570.00
•	-	-	•	1	2	512	•	-	•	-	-	•	UMD 97EL	11.06.2107	655.00
-	•	•	-	1	2	512	•	-	•	-	-	•	UMD 97EL	11.06.3107	650.00
-	•	-	•	1	2	512	•	-	•	-	-	•	UMD 97EL	11.06.4107	650.00
•	-	•	-	4		512	•	•	•	•	-	•	UMD 97E	11.06.1110	640.00
•	-	-	•	4		512	•	•	•	•	-	•	UMD 97E	11.06.2110	710.00
-	•	•	-	4		512	•	•	•	•	-	•	UMD 97E	11.06.3110	720.00
-	•	-	•	4		512	•	•	•	•	-	•	UMD 97E	11.06.4110	720.00

UMD 97EVU - Measuring technology for control panel installation in CAT IV environments

Supply voltage		Measurement voltage		Functions				Communication					Type	Item number	Price group 1
10 - 26 V AC 10 - 30 V DC		8 - 660 V LL		Digital in- / outputs	Relay outputs	Memory size in MB	Clock	RS485	Ethernet	Gateway Modbus master	M-Bus	USB			
•		•		2	2	512	•	•	•	•	-	•	UMD 97EVU	11.31.3110	1050.00

UMD 98 - Measuring technology for control panel installation

Supply voltage		Measurement voltage		Diff. current meas.	Functions					Communication				Type	Item number	Price group 1
100 - 275 V AC 80 - 350 V DC	20 - 50 V AC 20 - 75 V DC	10 - 26 V AC 10 - 36 V DC	8 - 660 V LL 20 - 1090 V LL	Quantity	Digital in-/outputs	Memory size in MB	Clock	PT 100-input	RS485	Ethernet	Local Bus	USB				
•	-	-	•	-	2	1	512	•	-	•	•	-	•	UMD 98RCM	11.29.1110	710.00
•	-	-	-	•	2	1	512	•	-	•	•	-	•	UMD 98RCM	11.29.2110	765.00
-	•	-	•	-	2	1	512	•	-	•	•	-	•	UMD 98RCM	11.29.3110	730.00
-	•	-	-	•	2	1	512	•	-	•	•	-	•	UMD 98RCM	11.29.4110	785.00
•	-	-	•	-	1	1	512	•	•	•	•	-	•	UMD 98RCM-T	11.29.1125	710.00
•	-	-	-	•	1	1	512	•	•	•	•	-	•	UMD 98RCM-T	11.29.2125	765.00
-	•	-	•	-	1	1	512	•	•	•	•	-	•	UMD 98RCM-T	11.29.3125	730.00
-	•	-	-	•	1	1	512	•	•	•	•	-	•	UMD 98RCM-T	11.29.4125	785.00
-	-	•	•	-	-	1	512	•	-	-	•	•	•	UMD 98LB	11.61.3131	795.00
Versions with 333 mV direct connection																
•	-	-	•	-	1	1	512	•	•	•	•	-	•	UMD 98RCM-T FLEX	11.29.9125	765.00
-	-	•	•	-	-	1	512	•	-	-	•	•	•	UMD 98FLEX LB	11.59.9131	840.00

Accessories UMD 97 / UMD 98

Designation	Item number	Price group 2
Adapter sheet - 144 x 144 mm to 96 x 96 mm	81.96.0144	40.00
DIN rail adapter HA9697	81.00.9697	40.00
USB 2.0 connection cable, type A - mini B; 3.0 m	18.21.2020	8.00
Safety hood IP65	37.00.9600	20.00

UMD 913 – Measuring technology for control panel installation

Supply voltage	Measurement voltage	Diff. current meas.	Functions						Communication			Type	Item number	Price group 1
85 - 265 V AC 90 - 350 V DC	5 - 1470 V LL	Quantity	Digital in- / outputs	Relay output	Analogue in- / outputs	Temperature input	Memory size in MB	Clock	RS485	Ethernet	USB			
•	•	2	4	-	-	-	512	•	•	•	•	UMD 913	12.08.1109	2450.00
•	•	2	4+1	4	2/2	1	512	•	•	•	•	UMD 913G	12.52.1109	2750.00

MMB / MMU / MMI – modular measuring technology for the DIN rail

Supply voltage	Measurement voltage	Measuring inputs	Functions			Communication					Type	Item number	Price group 1
24 V DC	5 - 1470 V LL	Quantity	Digital in- / outputs	Memory size in MB	Clock	Local Bus	RS485	Ethernet	Gateway Modbus master	USB			
•	•	3U, 3I	-	512	•	•	•	•	•	•	MMB 700	11.48.2110	1400.00
•	•	3U	-	-	-	•	•	-	-	-	MMU 3	10.46.9001	290.00
•**	-	12I	-	-	-	•	-	-	-	-	MMI 12	10.47.9000	365.00
•**	-	12I	-	-	-	•	-	-	-	-	MMI 12FLEX	10.53.9000	440.00
•**	-	12I	-	-	-	•	-	-	-	-	MMI 12DC	10.54.9000	440.00
•**	-	12I	-	-	-	•	-	-	-	-	MMI 12RCM	10.55.9000	405.00

** Supply via local bus

UMD 705 – Measuring technology for DIN rail

Supply voltage	Measurement voltage	Functions			Communication				Type	Item number	Price group 1	
85 - 510 V AC 85 - 350 V DC	20 - 50 V AC 20 - 75 V DC	7 - 720 V LL	Digital in- / outputs	Memory size in MB	Clock	RS485	Ethernet	Gateway Modbus master				USB
•	-	•	2	512	•	•	•	•	-	UMD 705E	11.17.1104	585.00
-	•	•	-	512	•	•	•	•	-	UMD 705E	11.17.3104	655.00

UMD 707RCM - Measuring technology for DIN rail

Supply voltage	Measurement voltage	Diff. current meas.	Functions				Communication				Type	Item number	Price group 1
65 - 275 V AC 75 - 350 V DC	5 - 1470 V LL	Quantity	Digital in- / outputs	Memory size in MB	Clock	PT100-input	RS485	Ethernet	Gateway Modbus master	USB			
•	•	5	4	512	•	•	•	•	•	•	UMD 707RCM	13.25.1104	1150.00

UMD 707DC - Measuring technology for DIN rail

Supply voltage	Measurement voltage	Converter inputs	Functions				Communication				Type	Item number	Price group 1
65 - 275 V AC 75 - 350 V DC	5 - 1470 V LL 0 - 1200 V DC	Quantity	Digital in- / outputs	Memory size in MB	Clock	PT100-input	RS485	Ethernet	Gateway Modbus master	USB			
•	•	5	4	512	•	•	•	•	•	•	UMD 707DC	11.45.2110	1200.00

UMD 710A - Measuring technology for the DIN rail

Supply voltage	Measurement voltage	Nominal current	Diff. current meas.	Functions				Communication				Type	Item number	Price group 1
65 - 275 V AC 75 - 350 V DC	5 - 1470 V LL	5 A	Quantity	Digital in- / outputs	Memory size in MB	Clock	RS485	Ethernet	Gateway Modbus master	Class A	USB			
•	•	•	1	4	512	•	•	•	•	•	-	UMD 710A	12.16.2110	1890.00

UMD 710EVU - Measuring technology for the DIN rail in CAT IV environments

Supply voltage	Measuring voltage	Functions				Communication				Type	Item number	Price group 1	
10 - 30 V DC	5 - 1470 V LL	Digital in- / outputs	Memory size in MB	Clock	PT100-input	RS485	Ethernet	Gateway Modbus master	Class A				USB
•	•	4	512	•	•	•	•	•	•	•	UMD 710EVU	12.32.4110	2250.00

UMD 710MVU – Measuring technology for the DIN rail in CAT IV environments

Supply voltage	Measuring voltage	Functions					Communication					Type	Item number	Price group 1
10 – 30 V DC	0.03 - 11.5 V	Digital in- / outputs	Memory size in MB	Clock	PT100-input	RS485	Ethernet	Gateway Modbus master	Class A	USB				
•	•	4	512	•	•	•	•	•	•	•	UMD 710MVU	12.52.4110	2450.00	

Firmware modules for function expansion for UMD universal measurement devices

Designation	Description	Availability	Order no.	Price group 1
PQ A	DIN EN 50160 Kl. A	See technical specifications / upon request	52.22.1340	380.00
PQ S	DIN EN 50160 Kl. S		52.21.1340	130.00
GO	Oscilloscope function		53.21.1340	120.00
RCS	Rotary control signals		54.21.1340	125.00
MM	Modbus Master		55.21.1340	75.00
IEC 104	IEC 60870-5-104		52.21.1345	280.00
SH	Supraharmonics		52.21.1346	250.00

IO-M 500 – I/O expansion module for UMD universal measurement devices

Supply voltage	Functions			Communication	Type	Order no.	Price group 2
	Digital inputs	Relay outputs	PT100				
12-24 V DC	4*	-	-	RS485	IO-M 540	80.33.3802	205.00

* active inputs

MMD 98RCM – mobile PQ universal measurement device

Designation	Functions	Communication	Item number	Price group 1
MMD 98RCM	DIN EN 50160 Kl. S	Ethernet, USB	72.56.9110	2650.00

Rogowski coils for MMD 98RCM (set comprising four coils)

Designation	I nominal [A]	d [mm]	Item number	Price group 2
MMD 98 FLEX SET 80	300	80	03.39.3336	580.00
MMD 98 FLEX SET 115	1000	115	03.39.3337	659.00
MMD 98 FLEX SET 115	2500	115	03.39.3338	659.00
MMD 98 FLEX SET 200	3000	200	03.39.3341	969.00

Designation	Item number	Price group 2
Calibration with calibration protocol	03.38.3400	100.00

Designation	Socket Ø	Length	Tip Ø	Overvoltage category	Item number	Price group 2
Magnetic measuring adapter S	4 mm	53.6 mm	7 mm	CAT III 1000 V	03.38.4406	86.00
Magnetic measuring adapter L	4 mm	75 mm	7 mm	CAT IV 1000 V	03.38.4407	90.00

CMD 68-MID - three-phase current energy meter

Designation	Functions	Communication	Item number	Price group 1
CMD 68-51MID	Converter measurement N/1 and 5 A	2 S0 impulse outputs	26.68.0051	180.00
CMD 68-52MID	Converter measurement N/1 and 5 A	Modbus + 2xS0	26.68.0052	205.00
CMD 68-53MID	Converter measurement N/1 and 5 A	M-Bus + 2xS0	26.68.0053	205.00
CMD 68-101MID	Direct measurement 100 A	2 S0 impulse outputs	26.68.0101	180.00
CMD 68-102MID	Direct measurement 100 A	Modbus + 2xS0	26.68.0102	205.00
CMD 68-103MID	Direct measurement 100 A	M-Bus + 2xS0	26.68.0103	205.00
Programming software with IR sensor head and TK holder			26.68.0001	165.00

CMD 68-45MID - Alternating current meter

Designation	Functions	Communication	Item number	Price group 1
CMD 68-451	Direct measurement 45A	1 S0 impulse output	26.68.0451	80.00
CMD 68-452	Direct measurement 45A	Modbus + 1xS0	26.68.0452	120.00
CMD 68-453	Direct measurement 45A	M-Bus + 1xS0	26.68.0453	120.00

CMD 68M - Interim plug meter

Designation	Functions	Communication	Item number	Price group 1
CMD 68M-451	Alternating current 16 A	-	26.68.1451	175.00
CMD 68M-161	Three-phase current 16 A	-	26.68.1101	425.00
CMD 68M-321	Three-phase current 32 A	-	26.68.2101	425.00
CMD 68M-631	Three-phase current 63 A	-	26.68.3101	425.00

CMD 68-V2 MID - network meter

Designation	Functions	Communication	Item number	Price group 1
CMD 68-54V2 MID	Converter measurement N/1 and 5 A	Modbus TCP/IP + 1 x S0	26.68.4054	435.00
CMD 68-104V2 MID	Direct measurement 100 A	Modbus TCP/IP + 1 x S0	26.68.4104	435.00

CMD EEG-CLP - load profile meter

Designation	Functions	Communication	Item number	Price group 2
CMD EEG-54CLP	Converter measurement N/1 and 5 A	Modbus TCP/IP + 1 x S0	26.70.0054	480.00
CMD EEG-104CLP	Direct measurement 100 A	Modbus TCP/IP + 1 x S0	26.70.0104	480.00

PQ M centre

Designation	Device number	Interfaces	Item number	Price group 1
PQ M centre 20	up to 20 M-Bus devices	Ethernet + USB	26.68.1020	1100.00
PQ M centre 60	up to 60 M-Bus devices	Ethernet + USB	26.68.1060	1600.00
PQ M centre 120	up to 120 M-Bus devices	Ethernet + USB	26.68.1120	2300.00
PQ M centre 250	up to 250 M-Bus devices	Ethernet + USB	26.68.1250	2600.00

Energy management and PQ analysis – ENVIS

Designation	Device number	Function	Additional functions	Item number	Price group 1
ENVIS - Basic	not limited	Grid quality DIN EN 50160, measured data management, data recording, historical data, evaluations, automatic reports	-	52.11.1300	free of charge
ENVIS - Base	not limited	Grid quality DIN EN 50160, measured data management, data recording, historical data, evaluations, automatic reports	Histogram Scatter plot PQ DIFF Export to IEEE Std. 1159.3 PQDIF file	52.11.1301	600.00
ENVIS online license	per device	Online license for a UMD or common 3rd-party device with integrated memory for automatic reading or online recording of measured data, email dispatch		53.21.1341	60.00
ENVIS.Online General license	unlimited	Online license for an unlimited number of UMD or common 3rd-party devices with integrated memory for automatic reading or online recording of measured data, email dispatch		53.21.1350	3000.00

ENVIS web

	Designation	Item number	Price group 2
Local installation / Inhouse solution Update period 2 years	ENVIS Web L-30 Installation: Local, license for 30 universal measurement devices	52.12.1400	4900.00
	ENVIS Web L-80 Installation: Local, license for 80 universal measurement devices	52.12.1402	7200.00
	ENVIS Web L-150 Installation: Local, license for 150 universal measurement devices	52.12.1404	9500.00
	ENVIS Web L-250 Installation: Local, license for 250 universal measurement devices	52.12.1403	13400.00

	Designation	Item number	Price group 4
Update extensions	Update extension ENVIS-Web L-30 for another year	52.12.1410	760.00
	Update extension ENVIS-Web L-80 for another year	52.12.1412	1100.00
	Update extension ENVIS-Web L-150 for another year	52.21.1414	1800.00
	Update extension ENVIS-Web L-250 for another year	52.12.1413	2300.00

	Designation	Item number	Price group 2
Installation in the data centre Update period 2 years	ENVIS Web DC-30 Installation data centre, license for 30 universal measurement devices	52.12.1500	8700.00
	ENVIS Web DC-80 Installation data centre, license for 80 universal measurement devices	52.12.1502	10900.00
	ENVIS Web DC-150 Installation data centre, license for 150 universal measurement devices	52.12.1504	15940.00
	ENVIS Web DC-250 Installation data centre, license for 250 universal measurement devices	52.12.1503	18100.00

	Designation	Item number	Price group 4
Update extensions / hosting	Update extension & hosting ENVIS-Web DC-30 for another year	52.12.1510	2680.00
	Update extension & hosting ENVIS-Web DC-80 for another year	52.12.1512	3080.00
	Update extension & hosting ENVIS-Web DC-150 for another year	52.12.1514	4290.00
	Update extension & hosting ENVIS-Web DC-250 for another year	52.12.1513	4800.00

	Designation	Item number	Price group 4
Services	Commissionings ENVIS Web L-30 Installation + commissioning of up to 30 UMD universal measurement devices	PQ1400	1250.00
	Commissionings ENVIS Web L-80 Installation + commissioning of up to 80 UMD universal measurement devices	PQ1402	3050.00
	Commissionings ENVIS Web L-150 Installation + commissioning of up to 150 UMD universal measurement devices	PQ1404	4800.00
	Commissionings ENVIS Web L-250 Installation + commissioning of up to 500 UMD universal measurement devices	PQ1403	6700.00
	Commissionings ENVIS Web DC-30 Installation + commissioning of up to 30 UMD universal measurement devices	PQ1500	1250.00
	Commissionings ENVIS Web DC-80 Installation + commissioning of up to 80 UMD universal measurement devices	PQ1502	3050.00
	Commissionings ENVIS Web DC150 Installation + commissioning of up to 150 universal measurement devices	PQ1504	4800.00
	Commissionings ENVIS Web DC-250 Installation + commissioning of up to 250 UMD universal measurement devices	PQ1503	6700.00

Drivers for UMD measuring technology

Single license: License can be used by one end customer without limitation.

Designation	Control unit type S7 driver	Project planning	Order no.	Price group 2
Simatic Drive S7OB	S7-CPU3xx/4xx Profinet OnBoard	Simatic Step 7	52.22.0001	500.00
Simatic Drive S7CP	S7-CPU3xx/4xx Profinet via CP 343	Simatic Step 7	52.22.0002	500.00
Simatic Drive OB*	S7-CPU3xx/4xx Profinet OnBoard	Simatic TIA	52.22.0004	500.00
Simatic Drive 12*	S7-1200-TIA	Simatic TIA	52.22.0011	620.00
Simatic Drive 15*	S7-1500-TIA	Simatic TIA	52.22.0012	620.00

* Please indicate the TIA version number when placing your order

Company license: Unlimited use for various end customers.

Designation	Control unit type S7 driver	Project planning	Order no.	Price group 2
Simatic Drive XL S7OB	S7-CPU3xx/4xx Profinet OnBoard	Simatic Step 7	52.22.1001	1000.00
Simatic Drive XL S7CP	S7-CPU3xx/4xx Profinet via CP 343	Simatic Step 7	52.22.1002	1000.00
Simatic Drive XL OB*	S7-CPU3xx/4xx Profinet OnBoard	Simatic TIA	52.22.1004	1000.00
Simatic Drive XL 12*	S7-1200-TIA	Simatic TIA	52.22.1011	1250.00
Simatic Drive XL 15*	S7-1500-TIA	Simatic TIA	52.22.1012	1250.00

* Please indicate the TIA version number when placing your order

KBR 18S/L - cable conversion current transformer

KBR 18S - round conductor 18.5 mm - N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
60	1	0.4	3	36 x 51.10 x 50	KBR 18S	03.18S.0001	61.00
75	1	0.5	3	36 x 51.10 x 50	KBR 18S	03.18S.0002	61.00
100	1	0.75	3	36 x 51.10 x 50	KBR 18S	03.18S.0003	61.00
125	1	0.75	3	36 x 51.10 x 50	KBR 18S	03.18S.0004	61.00
150	1	1	3	36 x 51.10 x 50	KBR 18S	03.18S.0005	61.00
200	1	0.4	1	36 x 51.10 x 50	KBR 18S	03.18S.0006	61.00
200	1	1.5	3	36 x 51.10 x 50	KBR 18S	03.18S.0007	61.00
250	1	0.5	1	36 x 51.10 x 50	KBR 18S	03.18S.0008	61.00
250	1	2	3	36 x 51.10 x 50	KBR 18S	03.18S.0009	61.00

KBR 18L - round conductor 18.5 mm - N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	1	0.3	1	49 x 68.8 x 59	KBR 18L	03.18L.0001	65.00
125	1	0.5	1	49 x 68.8 x 59	KBR 18L	03.18L.0002	65.00
150	1	1	1	49 x 68.8 x 59	KBR 18L	03.18L.0003	65.00
200	1	0.2	0.5	49 x 68.8 x 59	KBR 18L	03.18L.0004	69.00
200	1	1.5	1	49 x 68.8 x 59	KBR 18L	03.18L.0005	65.00
250	1	0.5	0.5	49 x 68.8 x 59	KBR 18L	03.18L.0006	69.00
250	1	2.5	1	49 x 68.8 x 59	KBR 18L	03.18L.0007	65.00

KBR 18L - round conductor 18.5 mm - N/5 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
150	5	1	1	49 x 68.8 x 59	KBR 18L	03.18L.5001	62.00
200	5	1.5	1	49 x 68.8 x 59	KBR 18L	03.18L.5002	62.00
250	5	1	0.5	49 x 68.8 x 59	KBR 18L	03.18L.5003	66.00
250	5	2	1	49 x 68.8 x 59	KBR 18L	03.18L.5004	62.00

KBR 18 – cable conversion current transformer

KBR 18 – round conductor 18.5 mm – N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
50	1	1	3	41.6 x 64.5 x 68	KBR 18	03.18.0001	65.00
75	1	1	3	41.6 x 64.5 x 68	KBR 18	03.18.0006	65.00
100	1	1.25	3	41.6 x 64.5 x 68	KBR 18	03.18.0011	65.00
125	1	1.5	3	41.6 x 64.5 x 68	KBR 18	03.18.0016	65.00
150	1	2	3	41.6 x 64.5 x 68	KBR 18	03.18.0021	65.00
200	1	3	3	41.6 x 64.5 x 68	KBR 18	03.18.0026	65.00
200	1	1	1	41.6 x 64.5 x 68	KBR 18	03.18.0027	65.00
250	1	4	3	41.6 x 64.5 x 68	KBR 18	03.18.0031	65.00
250	1	1.5	1	41.6 x 64.5 x 68	KBR 18	03.18.0032	65.00

KBR 18 – optional with voltage output

Primary current [A]	Class	Voltage output [mV]	Type	Item number	Price group 2
50	1	0...333	KBR 18	03.18.1001	67.00
75	1	0...333	KBR 18	03.18.1006	67.00
100	1	0...333	KBR 18	03.18.1011	67.00
125	1	0...333	KBR 18	03.18.1016	67.00
150	1	0...333	KBR 18	03.18.1021	67.00
200	1	0...333	KBR 18	03.18.1026	67.00
250	1	0...333	KBR 18	03.18.1031	67.00

KBR 28 – cable conversion current transformer

KBR 28 – round conductor 28 mm – N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	0.3	1	49 x 68.2 x 59	KBR 28	03.28.0001	69.00
250	1	1	1	49 x 68.2 x 59	KBR 28	03.28.0002	69.00
300	1	1.5	1	49 x 68.2 x 59	KBR 28	03.28.0003	69.00
400	1	0.5	0.5	49 x 68.2 x 59	KBR 28	03.28.0004	69.00
400	1	2.5	1	49 x 68.2 x 59	KBR 28	03.28.0005	69.00
500	1	1	0.5	49 x 68.2 x 59	KBR 28	03.28.0006	69.00
500	1	3	1	49 x 68.2 x 59	KBR 28	03.28.0007	69.00

KBR 28 – round conductor 28 mm – N/5 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
250	5	1	1	49 x 68.2 x 59	KBR 28	03.28.5001	72.00
300	5	1.5	1	49 x 68.2 x 59	KBR 28	03.28.5002	72.00
400	5	2.5	1	49 x 68.2 x 59	KBR 28	03.28.5003	72.00
500	5	1	0.5	49 x 68.2 x 59	KBR 28	03.28.5004	72.00
500	5	3	1	49 x 68.2 x 59	KBR 28	03.28.5005	72.00

KBR 32 - cable conversion current transformer

KBR 32 - round conductor 32.5 mm - N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	1	2.5	3	59.2 x 96.4 x 90	KBR 32	03.32.0011	70.00
125	1	3	3	59.2 x 96.4 x 90	KBR 32	03.32.0016	70.00
150	1	3	3	59.2 x 96.4 x 90	KBR 32	03.32.0021	70.00
200	1	5	3	59.2 x 96.4 x 90	KBR 32	03.32.0026	70.00
250	1	5	3	59.2 x 96.4 x 90	KBR 32	03.32.0031	70.00
300	1	5	1	59.2 x 96.4 x 90	KBR 32	03.32.0035	70.00
400	1	5	1	59.2 x 96.4 x 90	KBR 32	03.32.0037	70.00
500	1	5	1	59.2 x 96.4 x 90	KBR 32	03.32.0039	70.00
600	1	5	1	59.2 x 96.4 x 90	KBR 32	03.32.0041	70.00

KBR 32 - round conductor 32.5 mm - N/5 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	5	2.5	3	59.2 x 96.4 x 90	KBR 32	03.32.5011	70.00
125	5	3	3	59.2 x 96.4 x 90	KBR 32	03.32.5016	70.00
150	5	3	3	59.2 x 96.4 x 90	KBR 32	03.32.5021	70.00
200	5	5	3	59.2 x 96.4 x 90	KBR 32	03.32.5026	70.00
250	5	5	3	59.2 x 96.4 x 90	KBR 32	03.32.5031	70.00
300	5	5	1	59.2 x 96.4 x 90	KBR 32	03.32.5035	70.00
400	5	5	1	59.2 x 96.4 x 90	KBR 32	03.32.5037	70.00
500	5	5	1	59.2 x 96.4 x 90	KBR 32	03.32.5039	70.00
600	5	5	1	59.2 x 96.4 x 90	KBR 32	03.32.5041	70.00

KBR 32 - optional with voltage output

Primary current [A]	Class	Voltage output [mV]	Type	Item number	Price group 2
100	1	0...333	KBR 32	03.32.1011	74.00
125	1	0...333	KBR 32	03.32.1016	74.00
150	1	0...333	KBR 32	03.32.1021	74.00
200	1	0...333	KBR 32	03.32.1026	74.00
250	1	0...333	KBR 32	03.32.1031	74.00
300	1	0...333	KBR 32	03.32.1034	74.00
400	1	0...333	KBR 32	03.32.1036	74.00
500	1	0...333	KBR 32	03.32.1038	74.00
600	1	0...333	KBR 32	03.32.1040	74.00

KBR 42 - cable conversion current transformer

KBR 42 - round conductor 42 mm - N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
250	1	2.5	1	67 x 96 x 69	KBR 42	03.42.0001	77.00
300	1	2.5	1	67 x 96 x 69	KBR 42	03.42.0002	77.00
400	1	2.5	0.5	67 x 96 x 69	KBR 42	03.42.0003	82.00
400	1	5	1	67 x 96 x 69	KBR 42	03.42.0004	77.00
500	1	2.5	0.5	67 x 96 x 69	KBR 42	03.42.0005	82.00
500	1	5	1	67 x 96 x 69	KBR 42	03.42.0006	77.00
600	1	2.5	0.5	67 x 96 x 69	KBR 42	03.42.0007	82.00
600	1	5	1	67 x 96 x 69	KBR 42	03.42.0008	77.00
750	1	2.5	0.5	67 x 96 x 69	KBR 42	03.42.0009	82.00
750	1	5	1	67 x 96 x 69	KBR 42	03.42.0010	77.00
800	1	2.5	0.5	67 x 96 x 69	KBR 42	03.42.0011	82.00
800	1	5	1	67 x 96 x 69	KBR 42	03.42.0012	77.00
1000	1	2.5	0.5	67 x 96 x 69	KBR 42	03.42.0013	82.00
1000	1	5	1	67 x 96 x 69	KBR 42	03.42.0014	77.00

KBR 42 - round conductor 42 mm - N/5 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
300	5	2.5	1	67 x 96 x 69	KBR 42	03.42.5001	71.00
400	5	5	1	67 x 96 x 69	KBR 42	03.42.5002	71.00
500	5	5	1	67 x 96 x 69	KBR 42	03.42.5003	71.00
600	5	2.5	0.5	67 x 96 x 69	KBR 42	03.42.5004	76.00
600	5	5	1	67 x 96 x 69	KBR 42	03.42.5005	71.00
750	5	2.5	0.5	67 x 96 x 69	KBR 42	03.42.5006	76.00
750	5	5	1	67 x 96 x 69	KBR 42	03.42.5007	71.00
800	5	2.5	0.5	67 x 96 x 69	KBR 42	03.42.5008	76.00
800	5	5	1	67 x 96 x 69	KBR 42	03.42.5009	71.00
1000	5	2.5	0.5	67 x 96 x 69	KBR 42	03.42.5010	76.00
1000	5	5	1	67 x 96 x 69	KBR 42	03.42.5011	71.00

KBR 42L - cable conversion current transformer

KBR 42L - round conductor 2 x 42 mm - N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
250	1	2.5	1	67 x 139 x 69	KBR 42L	03.42L.0001	77.00
300	1	2.5	1	67 x 139 x 69	KBR 42L	03.42L.0002	77.00
400	1	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.0003	89.00
400	1	5	1	67 x 139 x 69	KBR 42L	03.42L.0004	77.00
500	1	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.0005	89.00
500	1	5	1	67 x 139 x 69	KBR 42L	03.42L.0006	77.00
600	1	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.0007	89.00
600	1	5	1	67 x 139 x 69	KBR 42L	03.42L.0008	77.00
750	1	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.0009	89.00
750	1	5	1	67 x 139 x 69	KBR 42L	03.42L.0010	77.00
800	1	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.0011	89.00
800	1	5	1	67 x 139 x 69	KBR 42L	03.42L.0012	77.00
1000	1	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.0013	89.00
1000	1	5	1	67 x 139 x 69	KBR 42L	03.42L.0014	77.00

KBR 42L - round conductor 2 x 42 mm - N/5 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
300	5	2.5	1	67 x 139 x 69	KBR 42L	03.42L.5001	77.00
400	5	5	1	67 x 139 x 69	KBR 42L	03.42L.5002	77.00
500	5	5	1	67 x 139 x 69	KBR 42L	03.42L.5003	77.00
600	5	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.5004	81.00
600	5	5	1	67 x 139 x 69	KBR 42L	03.42L.5005	77.00
750	5	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.5006	81.00
750	5	5	1	67 x 139 x 69	KBR 42L	03.42L.5007	77.00
800	5	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.5008	81.00
800	5	5	1	67 x 139 x 69	KBR 42L	03.42L.5009	77.00
1000	5	2.5	0.5	67 x 139 x 69	KBR 42L	03.42L.5010	81.00
1000	5	5	1	67 x 139 x 69	KBR 42L	03.42L.5011	77.00

KBR 44 - cable conversion current transformer

KBR 44 - round conductor 44 mm - N/1 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
250	1	2.5	1	72.2 x 120.6 x 98	KBR 44	03.44.0001	83.00
300	1	2.5	1	72.2 x 120.6 x 98	KBR 44	03.44.0006	83.00
400	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.0011	83.00
500	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.0016	83.00
600	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.0021	83.00
750	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.0026	83.00
800	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.0031	83.00
1000	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.0036	83.00

KBR 44 - round conductor 44 mm - N/5 A

Primary current [A]	Secondary current [A]	Load [VA]	Class	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
250	1	1.5	1	72.2 x 120.6 x 98	KBR 44	03.44.5001	83.00
300	1	2.5	1	72.2 x 120.6 x 98	KBR 44	03.44.5006	83.00
400	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.5011	83.00
500	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.5016	83.00
600	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.5021	83.00
750	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.5026	83.00
800	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.5031	83.00
1000	1	5	1	72.2 x 120.6 x 98	KBR 44	03.44.5036	83.00

KBR 44 - optional with voltage output

Primary current [A]	Class	Voltage output [mV]	Type	Item number	Price group 2
250	1	0...333	KBR 44	03.44.1001	97.00
300	1	0...333	KBR 44	03.44.1006	97.00
400	1	0...333	KBR 44	03.44.1011	97.00
500	1	0...333	KBR 44	03.44.1016	97.00
600	1	0...333	KBR 44	03.44.1021	97.00
750	1	0...333	KBR 44	03.44.1026	97.00
800	1	0...333	KBR 44	03.44.1031	97.00
1000	1	0...333	KBR 44	03.44.1036	97.00

KBU - cable conversion current transformer

KBU 23 - cable conversion current transformer

Primary current [A]	Secondary current [A]	Load [VA]	Class	Type	Item number	Price group 2
100	5 A	1.25	1	KBU 23	03.23.0048	64.00
100	1 A	1.25	3	KBU 23	03.23.0248	84.00
150	5 A	1.5	3	KBU 23	03.23.0030	64.00
150	1 A	1.5	1	KBU 23	03.23.0230	84.00
250	5 A	1.5	1	KBU 23	03.23.0044	64.00
250	1 A	1.5	1	KBU 23	03.23.0244	84.00
400	5 A	5	1	KBU 23	03.23.0046	64.00
400	1 A	5	1	KBU 23	03.23.0246	84.00

KBU 58 - cable conversion current transformer

Primary current [A]	Secondary current [A]	Load [VA]	Class	Type	Item number	Price group 2
250	5 A	1.5	1	KBU 58	03.58.0061	77.00
250	1 A	1.5	1	KBU 58	03.58.0261	94.00
400	5 A	2.5	1	KBU 58	03.58.0063	77.00
400	1 A	2.5	1	KBU 58	03.58.0263	94.00
500	5 A	2.5	0.5	KBU 58	03.58.0054	97.00
500	1 A	2.5	0.5	KBU 58	03.58.0254	112.00
500	5 A	5	1	KBU 58	03.58.0064	77.00
500	1 A	5	1	KBU 58	03.58.0264	94.00
750	5 A	2.5	0.5	KBU 58	03.58.0056	97.00
750	1 A	2.5	0.5	KBU 58	03.58.0256	112.00
750	5 A	5	1	KBU 58	03.58.0066	77.00
750	1 A	5	1	KBU 58	03.58.0266	94.00
1000	5 A	5	0.5	KBU 58	03.58.0058	97.00
1000	1 A	5	0.5	KBU 58	03.58.0258	112.00
1000	5 A	10	1	KBU 58	03.58.0068	77.00
1000	1 A	10	1	KBU 58	03.58.0268	94.00

KBU - cable conversion current transformer

KBU 812 - cable conversion current transformer

Primary current [A]	Secondary current [A]	Load [VA]	Class	Type	Item number	Price group 2
500	5 A	2.5	0.5	KBU 812	03.81.0074	108.00
500	1 A	2.5	0.5	KBU 812	03.81.0274	124.00
500	5 A	5	1	KBU 812	03.81.094	92.00
500	1 A	5	1	KBU 812	03.81.0294	107.00
750	5 A	2.5	0.5	KBU 812	03.81.0076	108.00
750	1 A	2.5	0.5	KBU 812	03.81.0276	124.00
750	5 A	5	1	KBU 812	03.81.0096	92.00
750	1 A	5	1	KBU 812	03.81.0296	107.00
1000	5 A	5	0.5	KBU 812	03.81.0078	108.00
1000	1 A	5	0.5	KBU 812	03.81.0278	124.00
1000	5 A	10	1	KBU 812	03.81.0098	92.00
1000	1 A	10	1	KBU 812	03.81.0298	107.00
1250	5 A	7.5	0.5	KBU 812	03.81.0080	108.00
1250	1 A	7.5	0.5	KBU 812	03.81.0280	124.00
1250	5 A	15	1	KBU 812	03.81.0100	92.00
1250	1 A	15	1	KBU 812	03.81.0300	107.00
1500	5 A	7.5	0.5	KBU 812	03.81.0081	108.00
1500	1 A	7.5	0.5	KBU 812	03.81.0281	124.00
1500	5 A	15	1	KBU 812	03.81.0101	92.00
1500	1 A	15	1	KBU 812	03.81.0301	107.00

KBU 816 – cable conversion current transformer

Primary current [A]	Secondary current [A]	Load [VA]	Class	Type	Item number	Price group 2
1000	5 A	10	0.5	KBU 816	03.81.6110	124.00
1000	1 A	10	0.5	KBU 816	03.81.6310	140.00
1000	5 A	15	1	KBU 816	03.81.6141	108.00
1000	1 A	15	1	KBU 816	03.81.6341	123.00
1250	5 A	10	0.5	KBU 816	03.81.6111	124.00
1250	1 A	10	0.5	KBU 816	03.81.6311	140.00
1250	5 A	15	1	KBU 816	03.81.6143	108.00
1250	1 A	15	1	KBU 816	03.81.6343	123.00
1500	5 A	10	0.5	KBU 816	03.81.6112	124.00
1500	1 A	10	0.5	KBU 816	03.81.6312	140.00
1500	5 A	15	1	KBU 816	03.81.6145	108.00
1500	1 A	15	1	KBU 816	03.81.6345	123.00
2000	5 A	10	0.5	KBU 816	03.81.6116	124.00
2000	1 A	10	0.5	KBU 816	03.81.6316	140.00
2000	5 A	15	1	KBU 816	03.81.6149	108.00
2000	1 A	15	1	KBU 816	03.81.6349	123.00
2500	5 A	10	0.5	KBU 816	03.81.6119	124.00
2500	1 A	10	0.5	KBU 816	03.81.6319	140.00
2500	5 A	15	1	KBU 816	03.81.6151	108.00
2500	1 A	15	1	KBU 816	03.81.6351	123.00
3000	5 A	15	0.5	KBU 816	03.81.6122	124.00
3000	1 A	15	0.5	KBU 816	03.81.6322	140.00
3000	5 A	30	1	KBU 816	03.81.6153	108.00
3000	1 A	30	1	KBU 816	03.81.6353	123.00
4000	5 A	15	0.5	KBU 816	03.81.6123	124.00
4000	1 A	15	0.5	KBU 816	03.81.6323	140.00
4000	5 A	30	1	KBU 816	03.81.6155	108.00
4000	1 A	30	1	KBU 816	03.81.6355	123.00
5000	5 A	15	0.5	KBU 816	03.81.6125	124.00
5000	1 A	15	0.5	KBU 816	03.81.6325	140.00
5000	5 A	30	1	KBU 816	03.81.6157	108.00
5000	1 A	30	1	KBU 816	03.81.6357	123.00

CTB 31.35 - plug-on current transformer

CTB 31.35 - round conductor 25.7 mm - N/5 A - class 1/3

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
50	5	1.25	3	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0001	34.00
60	5	1.25	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0017	34.00
75	5	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0018	34.00
80	5	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0019	34.00
100	5	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0002	34.00
125	5	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0003	34.00
150	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0004	34.00
200	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0005	34.00
250	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0006	34.00
300	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0007	34.00
300	5	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0008	34.00
400	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0009	34.00
400	5	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0010	34.00
500	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0011	34.00
500	5	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0012	34.00
600	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0013	34.00
600	5	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0014	34.00
750	5	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0015	34.00
750	5	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0016	34.00

CTB 31.35 - round conductor 25.7 mm - N/5 A - class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
125	5	1.5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2001	58.00
150	5	2.5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2002	58.00
200	5	2.5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2003	58.00

Accessories for CTB 31.35

Designation	Item number	Price group 2
Snap-on attachment	03.05.5015	3.30
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form G	03.05.5057	2.90

CTB 31.35 – plug-on current transformer

CTB 31.35 – round conductor 25.7 mm – N/1 A – class 1/3

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
50	1	1.25	3	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0021	37.00
60	1	1.25	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0037	37.00
75	1	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0038	37.00
80	1	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0039	37.00
100	1	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0022	37.00
125	1	2.5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0023	37.00
150	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0024	37.00
200	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0025	37.00
250	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0026	37.00
300	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0027	37.00
300	1	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0028	37.00
400	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0029	37.00
400	1	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0030	37.00
500	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0031	37.00
500	1	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0032	37.00
600	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0033	37.00
600	1	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0034	37.00
750	1	5	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0035	37.00
750	1	10	1	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.0036	37.00

CTB 31.35 – round conductor 25.7 mm – N/1 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
125	1	1.5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2021	67.00
150	1	2.5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2022	67.00
200	1	2.5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2023	67.00
250	1	5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2024	67.00
300	1	5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2025	67.00
400	1	5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2026	67.00
400	1	10	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2027	67.00
500	1	5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2028	67.00
500	1	10	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2029	67.00
600	1	5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2030	67.00
600	1	10	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2031	67.00
750	1	5	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2032	67.00
750	1	10	0.5	30 x 10	60 x 80.9 x 52	CTB 31.35	03.50.2033	67.00

Accessories for CTB 31.35

Designation	Item number	Price group 2
Snap-on attachment	03.05.5015	3.30
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form G	03.05.5057	2.90

CTB 41.35 – plug-on current transformer

CTB 41.35 – round conductor 31.8 mm – N/5 A – class 1/3

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
75	5	1.25	3	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0050	34.00
80	5	1.25	3	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0051	34.00
100	5	2.5	3	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0052	34.00
125	5	2.5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0053	34.00
150	5	2.5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0054	34.00
200	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0055	34.00
250	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0056	34.00
300	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0057	34.00
400	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0058	34.00
500	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0059	34.00
500	5	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0060	34.00
600	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0061	34.00
600	5	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0062	34.00
750	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0063	34.00
750	5	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0064	34.00
800	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0065	34.00
800	5	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0066	34.00
1000	5	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0067	34.00
1000	5	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0068	34.00

CTB 41.35 – round conductor 31.8 mm – N/5 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	5	1.5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2050	70.00
250	5	2.5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2051	70.00
300	5	2.5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2052	70.00
400	5	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2053	70.00
500	5	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2054	70.00
600	5	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2055	70.00
600	5	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2056	70.00
750	5	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2057	70.00
750	5	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2058	70.00
800	5	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2059	70.00
800	5	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2060	70.00
1000	5	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2061	70.00
1000	5	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2062	70.00

Accessories for CTB 41.35

Designation	Item number	Price group 2
Snap-on attachment	03.55.015	3.30
Quick-Fix quick attachment	03.55.021	2.50
Sealing plate form G	03.59.057	2.90

CTB 41.35 - plug-on current transformer

CTB 41.35 - round conductor 31.8 mm - N/1 A - class 1/3

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
75	1	1.25	3	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0070	37.00
80	1	1.25	3	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0071	37.00
100	1	2.5	3	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0072	37.00
125	1	2.5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0073	37.00
150	1	2.5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0074	37.00
200	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0075	37.00
250	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0076	37.00
300	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0077	37.00
400	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0078	37.00
500	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0079	37.00
500	1	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0080	37.00
600	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0081	37.00
600	1	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0082	37.00
750	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0083	37.00
750	1	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0084	37.00
800	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0085	37.00
800	1	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0086	37.00
1000	1	5	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0087	37.00
1000	1	10	1	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.0088	37.00

CTB 41.35 - round conductor 31.8 mm - N/1 A - class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	1.5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2070	70.00
250	1	2.5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2071	70.00
300	1	2.5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2072	70.00
400	1	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2073	70.00
500	1	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2074	70.00
500	1	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2075	70.00
600	1	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2076	70.00
600	1	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2077	70.00
750	1	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2078	70.00
800	1	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2079	70.00
800	1	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2080	70.00
1000	1	5	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2081	70.00
1000	1	10	0.5	40 x 10	70 x 91.15 x 52	CTB 41.35	03.50.2082	70.00

Accessories for CTB 41.35

Designation	Item number	Price group 2
Snap-on attachment	03.55.015	3.30
Quick-Fix quick attachment	03.55.021	2.50
Sealing plate form G	03.59.057	2.90

CTB 51.35 - plug-on current transformer

CTB 51.35 - round conductor 43.7 mm - N/5 A - class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	5	1.25	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0100	39.00
125	5	1.25	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0101	39.00
150	5	2.5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0102	39.00
200	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0103	39.00
250	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0104	39.00
300	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0105	39.00
400	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0106	39.00
400	5	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0107	39.00
500	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0108	39.00
500	5	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0109	39.00
600	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0110	39.00
600	5	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0111	39.00
750	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0112	39.00
750	5	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0113	39.00
800	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0114	39.00
800	5	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0115	39.00
1000	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0116	39.00
1000	5	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0117	39.00
1200	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0291	39.00
1200	5	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0292	39.00
1250	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0118	39.00
1250	5	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0119	39.00

CTB 51.35 - round conductor 43.7 mm - N/5 A - class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	5	1.5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2100	72.00
250	5	2.5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2101	72.00
300	5	2.5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2102	72.00
400	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2103	72.00
500	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2104	72.00
500	5	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2105	72.00
600	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2106	72.00
600	5	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2107	72.00
750	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2108	72.00
750	5	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2109	72.00
800	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2110	72.00
800	5	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2111	72.00
1000	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2112	72.00
1000	5	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2113	72.00
1200	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2114	72.00
1200	5	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2115	72.00
1250	5	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2116	72.00
1250	5	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2117	72.00

Accessories for CTB 51.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form H	03.05.5058	3.00

CTB 51.35 - plug-on current transformer

CTB 51.35 - round conductor 43.7 mm - N/1 A - class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	1	1.25	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0120	43.00
125	1	1.25	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0121	43.00
150	1	2.5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0122	43.00
200	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0123	43.00
250	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0124	43.00
300	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0125	43.00
400	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0126	43.00
400	1	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0127	43.00
500	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0128	43.00
500	1	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0129	43.00
600	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0130	43.00
600	1	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0131	43.00
750	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0132	43.00
750	1	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0133	43.00
800	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0134	43.00
800	1	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0135	43.00
1000	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0136	43.00
1000	1	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0137	43.00
1200	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0293	43.00
1200	1	10	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0294	43.00
1250	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0138	43.00
1250	1	5	1	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.0139	43.00

CTB 51.35 - round conductor 43.7 mm - N/1 A - class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	1.5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2120	79.00
250	1	2.5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2121	79.00
300	1	2.5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2122	79.00
400	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2123	79.00
500	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2124	79.00
500	1	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2125	79.00
600	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2126	79.00
600	1	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2127	79.00
750	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2128	79.00
750	1	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2129	79.00
800	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2130	79.00
800	1	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2131	79.00
1000	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2132	79.00
1000	1	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2133	79.00
1200	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2134	79.00
1200	1	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2140	79.00
1250	1	5	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2136	79.00
1250	1	10	0.5	50 x 12/ 40 x 30	85 x 105.25 x 52	CTB 51.35	03.50.2137	79.00

Accessories for CTB 51.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form H	03.05.5058	3.00

CTB 61.35 – plug-on current transformer

CTB 61.35 – round conductor 43.7 mm – N/5 A – class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	5	2.5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0150	47.00
250	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0151	47.00
300	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0152	47.00
400	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0153	47.00
500	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0154	47.00
600	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0155	47.00
750	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0156	47.00
750	5	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0157	47.00
800	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0158	47.00
800	5	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0159	47.00
1000	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0160	47.00
1000	5	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0161	47.00
1200	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0287	47.00
1200	5	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0288	47.00
1250	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0162	47.00
1250	5	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0163	47.00
1500	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0164	47.00
1500	5	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0165	47.00
1600	5	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0166	47.00
1600	5	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0167	47.00

CTB 61.35 – round conductor 43.7 mm – N/5 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	2.5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2150	81.00
250	1	2.5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2151	81.00
300	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2152	81.00
400	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2153	81.00
500	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2154	81.00
600	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2155	81.00
750	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2156	81.00
750	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2157	81.00
800	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2158	81.00
800	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2159	81.00
1000	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2160	81.00
1000	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2161	81.00
1200	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2162	81.00
1200	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2163	81.00
1250	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2175	81.00
1250	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2165	81.00
1500	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2166	81.00
1500	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2167	81.00
1600	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2168	81.00
1600	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2169	81.00

Accessories for CTB 61.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form J	03.05.5059	3.50

CTB 61.35 – plug-on current transformer

CTB 61.35 – round conductor 43.7 mm – N/1 A – class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	2.5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0170	52.00
250	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0171	52.00
300	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0172	52.00
400	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0173	52.00
500	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0174	52.00
600	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0175	52.00
750	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0176	52.00
750	1	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0177	52.00
800	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0178	52.00
800	1	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0179	52.00
1000	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0180	52.00
1000	1	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0181	52.00
1200	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0289	52.00
1200	1	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0290	52.00
1250	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0182	52.00
1250	1	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0183	52.00
1500	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0184	52.00
1500	1	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0185	52.00
1600	1	5	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0186	52.00
1600	1	10	1	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.0187	52.00

CTB 61.35 – round conductor 43.7 mm – N/1 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	2.5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2170	88.00
250	1	2.5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2171	88.00
300	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2172	88.00
400	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2173	88.00
500	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2174	88.00
600	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2175	88.00
750	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2176	88.00
750	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2177	88.00
800	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2178	88.00
800	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2179	88.00
1000	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2180	88.00
1000	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2181	88.00
1200	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2182	88.00
1200	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2183	88.00
1250	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2184	88.00
1250	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2185	88.00
1500	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2186	88.00
1500	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2187	88.00
1600	1	5	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2188	88.00
1600	1	10	0.5	63 x 10/ 50 x 30	95 x 114.86 x 52	CTB 61.35	03.50.2189	88.00

Accessories for CTB 61.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form J	03.05.5059	3.50

CTB 81.35 – plug-on current transformer

CTB 81.35 – round conductor 54.7 mm – N/5 A – class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0190	58.00
500	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0191	58.00
600	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0192	58.00
750	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0193	58.00
750	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0194	58.00
800	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0195	58.00
800	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0196	58.00
1000	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0197	58.00
1000	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0198	58.00
1200	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0283	58.00
1200	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0284	58.00
1250	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0199	58.00
1250	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0200	58.00
1500	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0201	58.00
1500	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0202	58.00
1600	5	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0203	58.00
1600	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0204	58.00
2000	5	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0205	58.00
2000	5	15	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0206	58.00

CTB 81.35 – round conductor 54.7 mm – N/5 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	5	2.5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2190	98.00
500	5	2.5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2191	98.00
600	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2192	98.00
750	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2193	98.00
750	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2194	98.00
800	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2195	98.00
800	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2196	98.00
1000	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2197	98.00
1000	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2198	98.00
1200	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2199	98.00
1200	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2200	98.00
1250	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2201	98.00
1250	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2202	98.00
1500	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2203	98.00
1500	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2204	98.00
1600	5	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2205	98.00
1600	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2206	98.00
2000	5	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2207	98.00
2000	5	15	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2208	98.00

Accessories for CTB 81.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form J	03.05.5059	3.50

CTB 81.35 – plug-on current transformer

CTB 81.35 – round conductor 54.7 mm – N/1 A – class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0210	72.00
500	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0211	72.00
600	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0212	72.00
750	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0213	72.00
750	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0214	72.00
800	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0215	72.00
800	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0216	72.00
1000	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0217	72.00
1000	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0218	72.00
1200	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0285	72.00
1200	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0286	72.00
1250	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0219	72.00
1250	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0220	72.00
1500	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0221	72.00
1500	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0222	72.00
1600	1	5	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0223	72.00
1600	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0224	72.00
2000	1	10	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0225	72.00
2000	1	15	1	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.0226	72.00

CTB 81.35 – round conductor 54.7 mm – N/1 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	1	2.5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2210	115.00
500	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2211	115.00
600	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2212	115.00
750	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2213	115.00
750	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2214	115.00
800	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2215	115.00
800	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2216	115.00
1000	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2217	115.00
1000	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2218	115.00
1200	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2219	115.00
1200	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2220	115.00
1250	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2221	115.00
1250	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2222	115.00
1500	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2223	115.00
1500	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2224	115.00
1600	1	5	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2225	115.00
1600	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2226	115.00
2000	1	10	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2227	115.00
2000	1	15	0.5	80 x 10/ 60 x 30	120 x 134.66 x 52	CTB 81.35	03.50.2228	115.00

Accessories for CTB 81.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form J	03.05.5059	3.50

CTB 101.35 – plug-on current transformer

CTB 101.35 – round conductor 70 mm – N/5 A – class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0230	81.00
500	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0231	81.00
600	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0232	81.00
750	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0233	81.00
750	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0234	81.00
800	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0235	81.00
800	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0236	81.00
1000	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0237	81.00
1000	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0238	81.00
1200	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0279	81.00
1200	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0280	81.00
1250	5	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0239	81.00
1250	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0240	81.00
1500	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0241	81.00
1500	5	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0242	81.00
1600	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0243	81.00
1600	5	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0244	81.00
2000	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0245	81.00
2000	5	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0246	81.00
2500	5	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0247	81.00
2500	5	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0248	81.00

CTB 101.35 – round conductor 70 mm – N/5 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	1	2.5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2230	129.00
500	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2231	129.00
600	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2232	129.00
750	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2233	129.00
750	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2234	129.00
800	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2235	129.00
800	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2236	129.00
1000	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2237	129.00
1000	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2238	129.00
1200	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2239	129.00
1200	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2240	129.00
1250	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2241	129.00
1250	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2242	129.00
1500	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2243	129.00
1500	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2244	129.00
1600	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2245	129.00
1600	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2246	129.00
2000	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2247	129.00
2000	1	15	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2248	129.00

Accessories for CTB 101.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form J	03.05.5059	3.50

CTB 101.35 – plug-on current transformer

CTB 101.35 – round conductor 70 mm – N/1 A – class 1

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0260	76.00
500	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0261	76.00
600	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0262	76.00
750	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0263	76.00
750	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0264	76.00
800	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0265	76.00
800	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0266	76.00
1000	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0267	76.00
1000	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0268	76.00
1200	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0281	76.00
1200	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0282	76.00
1250	1	5	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0269	76.00
1250	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0270	76.00
1500	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0271	76.00
1500	1	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0272	76.00
1600	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0273	76.00
1600	1	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0274	76.00
2000	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0275	76.00
2000	1	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0276	76.00
2500	1	10	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0277	76.00
2500	1	15	1	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.0278	76.00

CTB 101.35 – round conductor 70 mm – N/1 A – class 0.5

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	1	2.5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2260	151.00
500	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2261	151.00
600	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2262	151.00
750	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2263	151.00
750	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2264	151.00
800	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2265	151.00
800	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2266	151.00
1000	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2267	151.00
1000	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2268	151.00
1200	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2269	151.00
1200	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2270	151.00
1250	1	5	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2271	151.00
1250	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2272	151.00
1500	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2273	151.00
1500	1	15	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2274	151.00
1600	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2275	151.00
1600	1	15	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2276	151.00
2000	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2277	151.00
2000	1	15	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2278	151.00
2500	1	10	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2279	151.00
2500	1	15	0.5	100 x 10/ 80 x 30	130 x 147.49 x 52	CTB 101.35	03.50.2280	151.00

Accessories for CTB 101.35

Designation	Item number	Price group 2
Quick-Fix quick attachment	03.05.5021	2.50
Sealing plate form J	03.05.5059	3.50

ECTB 31.35 – calculation plug-on current transformer

ECTB 31.35 – round conductor 25.7 mm – N/5 A – class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	5	2.5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5025	78.00
125	5	2.5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5028	78.00
150	5	2.5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5030	78.00
200	5	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5033	78.00
250	5	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5035	62.00
300	5	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5037	62.00
400	5	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5038	62.00
500	5	10	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5041	62.00
600	5	10	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5043	62.00
750	5	10	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.5045	62.00

ECTB 31.35 – round conductor 25.7 mm – N/1 A – class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	1	2.5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7025	82.00
125	1	2.5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7028	82.00
150	1	2.5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7030	82.00
200	1	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7033	82.00
250	1	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7035	82.00
300	1	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7037	82.00
400	1	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7038	67.00
500	1	10	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7041	67.00
600	1	5	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7043	67.00
750	1	10	0.5s	30 x 10	60 x 80.9 x 52	ECTB 31.35	03.50.7045	67.00

plus inspection costs in accordance with module D according to conformity assessment method

Designation	Item number	Price group 4
up to 500 A	03.50.1600	€40.00
500 A – 1000 A	03.50.1601	€56.00

ECTB 41.35 - calculation plug-on current transformer

ECTB 41.35 - round conductor 31.8 mm - N/5 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	5	1.5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.5116	65.00
250	5	2.5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.5117	65.00
300	5	2.5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.5118	65.00
400	5	5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.5119	65.00
500	5	5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.5121	65.00
600	5	10	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.5123	65.00
750	5	10	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.5127	65.00

ECTB 41.35 - round conductor 31.8 mm - N/1 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	1.5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.7115	70.00
250	1	2.5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.7116	70.00
300	1	2.5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.7117	70.00
400	1	5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.7118	70.00
500	1	5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.7120	70.00
600	1	5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.7122	70.00
750	1	5	0.5s	40 x 10	70 x 91.15 x 52	ECTB 41.35	03.50.7125	70.00

plus inspection costs in accordance with module D according to conformity assessment method

Designation	Item number	Price group 4
up to 500 A	03.50.1600	40.00
500 A – 1000 A	03.50.1601	56.00

ECTB 51.35 - calculation plug-on current transformer

ECTB 51.35 - round conductor 43.7 mm - N/5 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	5	1.5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5223	87.00
125	5	1.5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5224	87.00
150	5	2.5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5225	87.00
200	5	2.5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5227	87.00
250	5	2.5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5229	87.00
300	5	5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5231	87.00
400	5	5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5233	67.00
500	5	5	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5235	67.00
600	5	10	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5238	67.00
750	5	10	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5241	67.00
1000	5	10	0.5s	50 x 12/ 40 x 30	85 x 105.25 x 52	ECTB 51.35	03.50.5243	67.00

ECTB 51.35 - round conductor 43.7 mm - N/1 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
100	1	1.25	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7224	91.00
125	1	1.25	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7225	91.00
150	1	2.5	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7226	91.00
200	1	5	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7228	91.00
250	1	5	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7231	91.00
300	1	5	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7233	91.00
400	1	5	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7235	71.00
500	1	10	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7237	71.00
600	1	10	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7240	71.00
750	1	10	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7243	71.00
1000	1	5	0.5s	50 x 12/ 40 x 30	91 x 105.25 x 52	ECTB 51.35	03.50.7245	71.00

plus inspection costs in accordance with module D according to conformity assessment method

Designation	Item number	Price group 4
up to 500 A	03.50.1600	40.00
500 A – 1000 A	03.50.1601	56.00

ECTB 61.35 - calculation plug-on current transformer

ECTB 61.35 - round conductor 43.7 mm - N/5 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	5	2.5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5327	91.00
250	5	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5330	91.00
300	5	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5332	91.00
400	5	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5334	69.00
500	5	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5336	69.00
600	5	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5338	69.00
750	5	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5339	69.00
800	5	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5341	69.00
1000	5	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5343	69.00
1200	5	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5345	69.00
1250	5	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5347	69.00
1500	5	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.5349	69.00

ECTB 61.35 - round conductor 43.7 mm - N/1 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
200	1	2.5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7327	95.00
250	1	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7330	95.00
300	1	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7332	95.00
400	1	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7334	74.00
500	1	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7336	74.00
600	1	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7338	74.00
750	1	5	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7340	74.00
800	1	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7342	74.00
1000	1	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7344	74.00
1200	1	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7346	74.00
1250	1	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7348	74.00
1500	1	10	0.5s	63 x 10/ 50 x 30	95 x 114.86 x 52	ECTB 61.35	03.50.7350	74.00

plus inspection costs in accordance with module D according to conformity assessment method

Designation	Item number	Price group 4
up to 500 A	03.50.1600	40.00
500 A – 1000 A	03.50.1601	56.00
as of 1000 A	03.50.1602	110.00

ECTB 81.35 – calculation plug-on current transformer

ECTB 81.35 – round conductor 54.7 mm – N/5 A – class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	5	5	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5430	91.00
500	5	5	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5431	72.00
600	5	5	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5433	72.00
750	5	5	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5435	72.00
800	5	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5438	72.00
1000	5	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5441	72.00
1200	5	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5444	72.00
1250	5	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5447	72.00
1500	5	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5450	72.00
1600	5	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5453	72.00
2000	5	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.5455	72.00

ECTB 81.35 – round conductor 54.7 mm – N/1 A – class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
400	1	2.5	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7430	95.00
500	1	5	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7432	76.00
600	1	5	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7434	76.00
750	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7437	76.00
800	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7440	76.00
1000	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7443	76.00
1200	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7445	76.00
1250	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7449	76.00
1500	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7452	76.00
1600	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7455	76.00
2000	1	10	0.5s	80 x 10/ 60 x 30	120 x 134.66 x 52	ECTB 81.35	03.50.7458	76.00

plus inspection costs in accordance with module D according to conformity assessment method

Designation	Item number	Price group 4
up to 500 A	03.50.1600	40.00
500 A – 1000 A	03.50.1601	56.00
as of 1000 A	03.50.1602	110.00

ECTB 101.35 - calculation plug-on current transformer

ECTB 101.35 - round conductor 70 mm - N/5 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
600	5	2.5	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5629	93.00
750	5	5	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5631	93.00
800	5	5	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5633	93.00
1000	5	10	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5635	93.00
1200	5	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5638	93.00
1250	5	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5641	93.00
1500	5	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5644	93.00
1600	5	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5647	93.00
2000	5	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.5650	93.00

ECTB 101.35 - round conductor 70 mm - N/1 A - class 0.5s

Primary current [A]	Secondary current [A]	Load [VA]	Class	Rail 1 [mm] Rail 2 [mm]	Dimensions (w x h x d) [mm]	Type	Item number	Price group 2
500	1	2.5	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7629	98.00
600	1	5	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7631	98.00
750	1	10	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7634	98.00
800	1	10	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7637	98.00
1000	1	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7640	98.00
1200	1	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7643	98.00
1250	1	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7646	98.00
1500	1	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7649	98.00
1600	1	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7652	98.00
2000	1	15	0.5s	100 x 10/ 80 x 30	130 x 147.49 x 52	ECTB 101.35	03.50.7655	98.00

plus inspection costs in accordance with module D according to conformity assessment method

Designation	Item number	Price group 4
500 A – 1000 A	03.50.1601	56.00
as of 1000 A	03.50.1602	110.00

J3CT - three-phase current transformer set (MMI 12 - MMB 700)

Primary current [A]	Voltage output [mV]	Class	Type	Item number	Price group 2
30	333	1	J3CT075	03.75.0030	55.00
60	333	0.5 s	J3CT075	03.75.0060	55.00
100	333	0.2 s	J3CT075	03.75.0100	55.00
125	333	0.2 s	J3CT090	03.90.0125	61.00
160	333	0.2 s	J3CT090	03.90.0160	61.00
160	333	0.2 s	J3CT105	03.91.0160	66.00
250	333	0.2 s	J3CT105	03.91.0250	66.00
400	333	0.2 s	J3CT140	03.92.0400	105.00
630	333	0.2 s	J3CT140	03.92.0630	105.00

Connection cable for transformer J3CT

Type	Cable length [metres]	Connection type	Item number	Price group 2
Cable RJ12-3CT 0.3m	0.3	RJ12-RJ12	80.33.0030	8.40
Cable RJ12-3CT 0.5m	0.5	RJ12-RJ12	80.33.0050	8.80
Cable RJ12-3CT 1m	1	RJ12-RJ12	80.33.0100	9.10
Cable RJ12-3CT 3m	3	RJ12-RJ12	80.33.0300	9.40

J6CT - 2 x three-phase current transformer set (MMI 12 - MMB 700)

Primary current [A]	Voltage output [mV]	Class	Item number	Price group 2
5	333	1	03.06.0005	89.00

JC - cable conversion current transformer (MMI 12 - MMB 700)

Primary current [A]	Voltage output [mV]	Class	Type	Item number	Price group 2
5	333	3	JC10F	03.10.0005	27.00
20	333	3	JC10F	03.10.0020	27.00
30	333	3	JC10F	03.10.0030	27.00
50	333	3	JC10F	03.10.0050	27.00
70	333	1	JC16F	03.16.0070	31.00
100	333	1	JC16F	03.16.0100	31.00
200	333	1	JC24F	03.25.0300	67.00
300	333	1	JC36S	03.37.0300	74.00
600	333	1	JC36S	03.37.0600	74.00

Connection cable for transformer JC

Type	Cable length [metres]	Connection type	Item number	Price group 2
Cable RJ12-JC 0.3m	0.3	RJ12-0.5/6	80.13.0030	11.20
Cable RJ12-JC 0.5m	0.5	RJ12-0.5/6	80.13.0050	11.50
Cable RJ12-JC 1m	1	RJ12-0.5/6	80.13.0100	11.70
Cable RJ12-JC 3m	3	RJ12-0.5/6	80.13.0300	12.30

J3SCT28 – cable conversion converter set 3-phase (MMI 12 – MMB 700)

Primary current [A]	Voltage output [mV]	Class	Type	Item number	Price group 2
400	333	1	J3SCT28	05.28.4333	250.00

JS10NH – divisible Hall sensor for DC currents

Primary current [A]	Voltage output [V]	Maximal current [A]	Type	Item number	Price group 2
5	4	7.5	JS10NH	04.10.0005	81.00
10	4	15	JS10NH	04.10.0010	81.00
15	4	22.5	JS15NH	04.10.0015	81.00
20	4	30	JS10NH	04.10.0020	81.00
25	4	37.5	JS10NH	04.10.0025	81.00
50	4	75	JS10NH	04.10.0050	81.00

JS16NH – divisible Hall sensor for DC currents

Primary current [A]	Voltage output [V]	Maximal current [A]	Type	Item number	Price group 2
5	4	7.5	JS16NH	04.16.0005	95.00
10	4	15	JS16NH	04.16.0010	95.00
15	4	22.5	JS16NH	04.16.0015	95.00
20	4	30	JS16NH	04.16.0020	95.00
25	4	37.5	JS16NH	04.16.0025	95.00
50	4	75	JS16NH	04.16.0050	95.00
75	4	112.5	JS16NH	04.16.0075	95.00
100	4	150	JS16NH	04.16.0100	95.00

JS24NH/SH- divisible Hall sensor for DC currents

Primary current [A]	Voltage output [V]	Maximal current [A]	Type	Item number	Price group 2
150	4	225	JS24NH	04.24.0150	90.00
200	4	300	JS24NH	04.24.0200	90.00
250	4	375	JS24SH	04.24.0250	90.00
300	4	450	JS24SH	04.24.0300	90.00

JS36SH – divisible Hall sensor for DC currents

Primary current [A]	Voltage output [V]	Maximal current [A]	Type	Item number	Price group 2
400	4	600	JS36SH	04.36.0400	100.00
500	4	750	JS36SH	04.36.0500	100.00

JS - cable conversion current transformer

JS17S/JS17F - round conductor up to 17.0 mm

Primary current [A]	Secondary current	Load [VA]	Class	Type	Item number	Price group 2
60	1 A	1	3	JS17S	03.17.1001	42.00
75	1 A	1	3	JS17S	03.17.1002	42.00
100	1 A	1.25	3	JS17S	03.17.1003	42.00
125	1 A	1.5	3	JS17S	03.17.1004	42.00
150	1 A	2	3	JS17S	03.17.1005	42.00
200	1 A	3	3	JS17S	03.17.1006	42.00
150	5 A	1.5	3	JS17S	03.17.5001	42.00
50	100mA	0.01	1	JS17F	03.17.0001	42.00
100	100mA	0.01	1	JS17F	03.17.0002	42.00
125	100mA	0.01	1	JS17F	03.17.0003	42.00
150	100mA	0.01	0.5	JS17F	03.17.0004	42.00
200	100mA	0.01	0.5	JS17S	03.17.0005	42.00

JS24S/JS24F - round conductor up to 24.0 mm

Primary current [A]	Secondary current	Load [VA]	Class	Type	Item number	Price group 2
100	1 A	1	3	JS24S	03.24.1001	43.00
125	1 A	1	3	JS24S	03.24.1002	43.00
150	1 A	1	3	JS24S	03.24.1003	43.00
200	1 A	0.5	1	JS24S	03.24.1004	43.00
250	1 A	1	1	JS24S	03.24.1005	43.00
300	1 A	1.5	1	JS24S	03.24.1006	43.00
100	5 A	1.5	3	JS24S	03.24.5001	43.00
150	5 A	1.5	3	JS24S	03.24.5002	43.00
200	5 A	0.5	1	JS24S	03.24.5003	43.00
250	5 A	0.5	1	JS24S	03.24.5004	43.00
300	5 A	0.5	1	JS24S	03.24.5005	43.00
400	5 A	0.5	1	JS24S	03.24.5006	43.00
200	100mA	0.01	0.5	JS24F	03.24.0001	52.00
250	100mA	0.01	0.5	JS24S	03.24.0002	52.00
300	100mA	0.01	0.5	JS24S	03.24.0003	52.00

JS36S - round conductor up to 36.0 mm

Primary current [A]	Secondary current	Load [VA]	Class	Type	Item number	Price group 2
300	1 A	1.5	1	JS36S	03.36.1001	52.00
400	1 A	0.5	0.5	JS36S	03.36.1002	52.00
500	1 A	0.5	0.5	JS36S	03.36.1003	52.00
600	1 A	0.5	0.5	JS36S	03.36.1004	52.00
200	5 A	2.5	3	JS36S	03.36.5001	55.00
250	5 A	0.5	1	JS36S	03.36.5002	55.00
300	5 A	0.5	1	JS36S	03.36.5003	55.00
400	5 A	2.5	1	JS36S	03.36.5004	55.00
500	5 A	2.5	1	JS36S	03.36.5005	55.00
600	5 A	2.5	1	JS36S	03.36.5006	55.00
300	100mA	0.01	0.5	JS36S	03.36.0001	52.00
400	100mA	0.01	0.5	JS36S	03.36.0002	52.00
500	100mA	0.01	0.5	JS36S	03.36.0003	52.00
600	100mA	0.01	0.5	JS36S	03.36.0004	52.00

CTM 7 – plug-on miniature current transformer

Primary current [A]	Secondary current	Load [VA]	Class	Type	Item number	Price group 2
32	1	0.2	1	CTM 7	03.77.0001	34.00
35	1	0.2	1	CTM 7	03.77.0002	34.00
40	1	0.3	1	CTM 7	03.77.0003	34.00
50	1	0.4	1	CTM 7	03.77.0004	34.00
60	1	0.4	1	CTM 7	03.77.0005	34.00
64	1	0.5	1	CTM 7	03.77.0006	34.00

RCM-CT – plug-on differential current transformer / residual current transformer (type A)

Type	Primary conductor opening: [mm]	Item number	Price group 2
RCM-CT20	20	03.38.1020	92.00
RCM-CT35	35	03.38.1035	110.00
RCM-CT60	60	03.38.1060	162.00
RCM-CT120	120	03.38.1120	205.00

RCM-CT V2 / RCM-SCT – differential current transformer / residual current transformer (type A)

Type	Primary conductor opening: [mm]	Item number	Price group 2
RCM-CT-V2 35	35	03.38.3035	70.00
RCM-CT-V2 60	60	03.38.3060	101.00
RCM-CT-V2 80	80	03.38.3080	92.00
RCM-CT-V2 110	110	03.38.3110	105.00
RCM-CT-V2 140	140	03.38.3140	155.00
RCM-CT-V2 210	210	03.38.3210	235.00
RCM-SCT 110	110	03.38.4110	285.00
RCM-SCT 150	150	03.38.4150	370.00
RCM-SCT 300	300	03.38.4300	760.00

RCM-CT-V2 type B/B+ – residual current monitor all-current sensitive (type B/B+)

Type	Primary conductor opening: [mm]	Item number	Price group 2
RCM-CT-V2 70 type B/B+	70	03.38.2170	693.00

KBU Flex 80 / 115 / 200 – flexible current transformer

(1 x Rogowski coil for direct connection to UMD 333 mV version)

Type	Coil diameter [mm]	Item number	Price group 2
KBU FLEX 80	80	03.38.3332	142.00
KBU FLEX 115	115	03.38.3333	148.00
KBU FLEX 200	200	03.38.3334	235.00

KBU FLEX SET – flexible current transformers

(1 x Rogowski coil + measuring transformer)

Type	Coil diameter [mm]	Item number	Price group 2
KBU FLEX SET 300	95	03.38.2130	260.00
KBU FLEX SET 450	140	03.38.2140	260.00
KBU FLEX SET 600	190	03.38.2160	270.00

Accessories KBU FLEX SET – FLEX Holder

Type	Coil diameter [mm]	Item number	Price group 2
FLEX Holder	95, 140, 190	03.38.2215	13.00

Power capacitors

Nominal output in kvar at a nominal voltage of:					Capacity in µF	Dimensions in mm*	Weight kg	Protection cap	Type	Item no.	Price group 2
400 V	415 V	440 V	480 V	525 V							
2.3	2.5	2.8	3.3	4.0	3x 15.4	Ø85 x 175 /226	0.8	CO85	CSADG 1-0.525/4	40.52.0004	41.00
2.9	3.1	3.5	4.2	5.0	3x 19.2	Ø85 x 175 /226	0.8	CO85	CSADG 1-0.525/5	40.52.0005	44.00
3.6	3.9	4.3	5.2	6.2	3x 24.0	Ø85 x 175 /226	0.9	CO85	CSADG 1-0.525/6.25	40.52.0062	46.00
4.1	4.4	4.0	5.8	7.0	3x 26.9	Ø85 x 175 /226	0.9	CO85	CSADG 1-0.525/7	40.52.0007	47.00
4.4	4.7	5.3	6.3	7.5	3x 28.8	Ø85 x 245 /296	0.9	CO85	CSADG 1-0.525/7.5	40.52.0075	47.00
4.6	5.0	5.6	6.7	8.0	3x 30.8	Ø85 x 245 /296	0.9	CO85	CSADG 1-0.525/8	40.52.0008	48.00
4.9	5.2	5.9	7.0	8.4	3x 32.3	Ø85 x 245 /296	0.9	CO85	CSADG 1-0.525/8.4	40.52.0084	49.00
5	5.3	6	-	8.5	3x 33.2	Ø85 x 175/226	0.9	CO85	CSADG 1-0.4/5	40.40.0005	47.00
5.8	6.2	7.0	8.4	10.0	3x 38.5	Ø85 x 245 /296	1.0	CO85	CSADG 1-0.525/10	40.52.0010	53.00
7.3	7.8	8.8	10.5	12.5	3x 48.1	Ø85 x 245 /296	1.1	CO85	CSADG 1-0.525/12.5	40.52.0012	47.00
8.1	8.7	9.8	11.7	14.0	3x 53.9	Ø85 x 245 /296	1.2	CO85	CSADG 1-0.525/14	40.52.0014	60.00
8.7	9.4	10.5	12.5	15.0	3x 57.7	Ø85 x 245 /296	1.3	CO85	CSADG 1-0.525/15	40.52.0015	62.00
9.8	10.5	11.8	14.1	16.9	3x 65.0	Ø110 x 245 /296	1.7	CO110-1	CSADG 1-0.525/16.9	40.52.0016	69.00
10.7	11.5	13.0	15.5	18.5	3x 71.2	Ø110 x 245 /296	1.8	CO110-1	CSADG 1-0.525/18.5	40.52.0018	73.00
11.6	12.5	14.0	16.7	20.0	3x 76.9	Ø110 x 245 /296	1.9	CO110-2	CSADG 1-0.525/20	40.52.0020	75.00
6.9	7.5	8.4	10.0	-	3x 46.0	Ø85 x 245 /296	1.2	CO85	CSADG 1-0.48/10	40.48.0010	57.00
8.7	9.3	10.5	12.5	-	3x 57.5	Ø85 x 245 /296	1.4	CO85	CSADG 1-0.48/12.5	40.48.0011	66.00
10.4	11.2	12.6	15.0	-	3x 69.0	Ø110 x 245 /296	1.7	CO110-1	CSADG 1-0.48/15	40.48.0012	71.00
8.3	8.9	10.0	-	-	3x 54.8	Ø85 x 245 /296	1.0	CO85	CSADG 1-0.44/10	40.44.0010	53.00
10.3	11.1	12.5	-	-	3x 68.5	Ø85 x 245 /296	1.2	CO85	CSADG 1-0.44/12.5	40.44.0012	55.00
11.6	12.4	14.0	-	-	3x 76.7	Ø85 x 245 /296	1.2	CO85	CSADG 1-0.44/14	40.44.0014	60.00
12.4	13.3	15.0	-	-	3x 82.2	Ø85 x 245 /296	1.3	CO85	CSADG 1-0.44/15	40.44.0015	60.00
15.0	16.2	18.2	-	-	3x 99.7	Ø85 x 245 /296	1.3	CO85	CSADG 1-0.44/18.2	40.44.0018	74.00
16.5	17.8	20.0	-	-	3x 109.6	Ø110 x 245 /296	1.9	CO110-2	CSADG 1-0.44/20	40.44.0020	78.00
20.7	22.2	25.0	-	-	3x 137.0	Ø110 x 245 /296	2.1	CO110-2	CSADG 1-0.44/25	40.44.0025	87.00
23.2	25.0	28.1	-	-	3x 154.0	Ø110 x 245 /296	2.2	CO110-2	CSADG 1-0.44/28.1	40.44.0028	89.00
24.8	26.7	30.0	-	-	3x 164.4	Ø136 x 220 /271	2.9	-	CSADG 3-0.44/30	40.44.0030	102.00
27.5	29.6	33.3	-	-	3x 182.5	Ø136 x 261 /324	3.0	-	CSADG 3-0.44/33.3	40.44.0033	132.00
31.0	33.3	37.5	-	-	3x 205.5	Ø136 x 261 /324	3.2	-	CSADG 3-0.44/37.5	40.44.0037	143.00
33.0	35.6	40.0	-	-	3x 219.2	Ø136 x 261 /324	3.3	-	CSADG 3-0.44/40	40.44.0040	146.00

*D x H /total H = height of the cup without connection piece and without fixing/earthing screw

Protection cap	Type	Description	Item no.	Price
Protection cap with cable insertion IP54	CO85	For power capacitors with a diameter of 85 mm and a PG16 cable insertion	40.19.0008	4.30
Protection cap with cable insertion IP54	CO110-1	For power capacitors with a diameter of 110 mm to 18 kvar, with a PG16 cable insertion	40.19.0011	5.30
Protection cap with cable insertion IP54	CO110-2	For power capacitors with a diameter of 110 mm to and from 20-25 kvar, with a PG21 cable insertion	40.19.0012	5.50

Cable Local Bus

Designation	Item number	Price group 2
Cable Local Bus 0.1 m	80.12.0010	6.35
Cable Local Bus 0.5 m	80.12.0050	6.35
Cable Local Bus 1.0 m	80.12.0100	8.20
Cable Local Bus 3.0 m	80.12.0300	8.75
Cable Local Bus 5.0 m	80.12.0500	10.50
Cable Local Bus 7.5 m	80.12.0750	22.00
Cable Local Bus 10.0 m	80.12.1000	16.50

PQ.touch – web panel

Type	Item number	Price group 2
PQ.touch 7	17.16.3107	800,00
PQ.touch 10	17.16.3110	1000,00
PQ.touch 15	17.16.3115	1300,00

DIN rail adapter for control panel installation units

Type	Item number	Price group 2
HA9697	81.00.9697	28.00
HA144	81.00.0144	52.00

Serial terminal systems – 3-phase and 4-phase

Type	Current transformer circuit	Item number	Price group 2
TOPJOB®S 8875	3-phase	18.88.0075	64.00
TOPJOB®S 8877	4-phase	18.88.0077	76.00
TOPJOB®S	3-phase with voltage tap	18.89.0075	97.00

Industrial power supply units – output voltage 1...2.5 A

Type	Current transformer circuit	Item number	Price group 2
EPSITRON® COMPACT Power	DC 24 V / 1.3 A	14.13.0024	85.00

CAT IV Power Compact – industrial power supply unit

Type	Output voltage/current	Item number	Price group 2
CAT IV Power Compact	24 V AC / 3A	80.42.3024	245.00

Industrial ECO switch – 5-port and 8-port

Type	Current transformer circuit	Item number	Price group 2
Industrial ECO switch 5 ports 10/100Base-TX	DC 18 V ... 30 V	19.24.0050	190.00
Industrial ECO switch 8 ports 10/100Base-TX	DC 18 V ... 30 V	19.24.0008	240.00

PQ.web4 – router

Supply voltage	Functions		Communication					Type	Item no.	Price group 2
10 - 30 VDC	Remote maintenance	Digital inputs	Modem	Aerial	LAN	WLAN	USB			
•	•	2	2G/3G/4G (LTE)	•	4	-	•	PQ.web4	57.00.0804	785.00

IoT – LoRaWAN interface

Type	Item number	Price group 2
IoT-LoRaWAN interface	60.06.0863	280.00

PFS – NH-safety load switching strip

Connection	Switchable	Size	Current transformers	Type	Item number	Price group 2
V-Terminal	1-pin		Primary / secondary			
•	•	1	250 A / 333 mV	PFS1-01-250 A-333 mV	60.71.0100	320.00
•	•	2	400 A / 333 mV	PFS1-02-400 A-333 mV	60.71.0200	323.00
•	•	3	600 A / 333 mV	PFS1-03-600 A-333 mV	60.71.0310	349.00
•	•	1	250 A / 1 A	PFS1-01-250 A-1 A	60.71.0101	260.00
•	•	2	400 A / 1 A	PFS1-02-400 A-1 A	60.71.0202	264.00
•	•	3	600 A / 1 A	PFS1-03-600 A-1 A	60.71.0312	289.00

further versions on request

The data from the price list have been compiled to our best knowledge and belief. Changes and error explicitly reserved. Pictures marked as "Figures similar" do not represent any contractual terms within the meaning of § 305 I of the German Civil Code (*Bürgerliches Gesetzbuch*; BGB). This constitutes information that does not serve as independent rules. It only expresses that the information contained in the price list is temporary and non-committal in that it can still be corrected before or at conclusion of a contract. These notices do not contain any contractual provisions, in particular regarding any limitation of the rights of the contracting partner in terms of liability or warranty.

PQ PLUS GmbH delivers under the green delivery terms of the ZVEI.

PQ Plus GmbH

Hagenauer Straße 6
D-91094 Langensendelbach

Phone: (+49) 9133-60640-0
Fax: (+49) 9133-60640-100
Email: info@pq-plus.de
Internet: <http://www.pq-plus.de>

Managing director:
Daniel Fierus-Beyer

VAT ID:
DE 301 767 284

You can find further information and the current catalogue on our website:
<http://www.pq-plus.de>